EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



Certificate N° 0075/1491/162/03/21/0532

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :	Cenigomma SRL STRADA DELL' ALPO, 26 37136 VERONA
	ITALY
Description	
РРЕ Туре :	protective glove against mechanical risks, chemical risks, microorganisms risks
Product reference :	E32.02N, E32.03N, E32.04N
Glove description :	Premium PVC Dipped Gauntlet Gloves, Smooth Finish, Interlock Liner
Available sizes :	6(lungh:270mm) 8(lungh:350mm) 9(lungh:400mm)
Pictures : Feference s EN 420:2003+A1:200 EN 388:2016	
EN ISO 374-5:2016	MICRO-ORGANISMS
EN ISO 374-1:2016	Туре В
	AKL
according to module C2 (CTC Groupe At the date of certificate the product	is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)
manufacturer's technical file index 01 NOTA : Any modification to new items of th	he personal protective equipment object of this EU type approval certificate or any modification of the information contained in the bor the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of k V §7.2 of Regulation 2016/425.
Issued in Lyon by	RHUNG DEPARA Date of first issue : 22 March 2021
Didier GUISADO Certification and Quality I	NB 0075
In application of the Regulation 2016/4	425 of the European parliament
 and the Council of 9th March 2016 Equipment and repealing the Directive 	related to Personal Protective cemarking@ctcgroupe.com 89/686/EEC.
cofrac	CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



MARKING

Accreditation n# 5-0594 Scope available on: Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726 Cenigomma SRL

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	E32.02N, E32.03N, E32.04N
Article code	:	
Technical file index	:	01
Last update	:	March 2021

IDENTIFICATION

Reference of the product : :	
Article code : :	
Basic Model	
Technical file index : :	
Last update : :	

E32.02N, E32.03N, E32.04N

01 March 2021

Manufacturer :

Cenigomma SRL

STRADA DELL' ALPO, 26 37136 VERONA

ITALY

tel : 39 045 8283711 fax : 39 045 8205190

Factory :

NANTONG QIANGSHENG SAFETY PROTECTION TECHNOLOGY INCORPORATED COMPANY

No.118, JIALINGJIANG ROAD, RUDONG ECONOMIC DEVELOPMENT ZONE, JIANGSU PROVINCE, P.R. CHINA

CHINA

tel: 86-513-4108356 fax:

NANTONG QIANGSHENG SAFETY PROTECTION TECHNOLOGY CO, LTD.

YOUYI ROAD (W), JUEGANG, RUDONG JIANGSU

CHINA

tel: 86-513-4108356 fax: 86-513-4108190

NANTONG QIANGSHENG SAFETY PROTECTION TECHNOLOGY CO, LTD. JINSHAJIANG ROAD, NEW INDUSTRIAL ZONE, RUDONG, JIANGSU CHINA

tel: 86-513-84129800 fax: 86-513-84129808

NANTONG QIANGSHENG SAFETY PROTECTION TECHNOLOGY CO, LTD. JINSHAJIANG ROAD, JUEGANG, RUDONG JIANGSU CHINA tel: 86-513-84129800 fax: 86-513-84129808

GLOVE DESCRIPTION

General glove description :

Premium PVC Dipped Gauntlet Gloves, Smooth Finish, Interlock Liner

type of coating finish : smooth

Visual description (picture back and palm sides) :



Field of use

Effective barrier against bacteria and fungi, but "Uncontrolled against viruses" and having a protection against tested chemicals Methanol, NaOH40%, H2SO4 96% conditions.

	Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	\	✓ Standard ✓ Instruction for use ✓ Marking	
§1.4	Manufacturer's instructions and information is available	7	Standard Instruction for use Marking	
§2.5	PPE which may be caught up during use	\	Standard Instruction for use Marking	
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	✓ Standard ✓ Instruction for use ✓ Marking	
§2.14	Multi-risk PPE	7	✓ Standard ✓ Instruction for use ✓ Marking	
§3.3	The PPE is intended to protect against mechanical injuries	7	Standard Instruction for use Marking	
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	\	✓ Standard ✓ Instruction for use ✓ Marking	

Available sizes :

Minimum length of glove (mm)	Sizes
270(E32.02N	6(lungh:270mm)
350(E32.03N)	8(lungh:350mm)
400(E32.04N)	9(lungh:400mm)

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		RED	PVC	200g/m2		1.3mm
Faim		WHITE	COTTON	200g/m2	7	
Back		RED	PVC	200g/m2		1.3mm
Dack		WHITE	COTTON	200g/m2	7	
Cuff		RED	PVC	200g/m2		1.3mm
Cull		WHITE	COTTON	200g/m2	7	

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against mechanical risks, chemical risks, microorganisms risks.

CTC (0075)

It is a category III product, module C2

Notified Body Reference :

4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5 Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	Х
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Chemical hazard EN 374-2 : 2014

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform

Chemical hazard EN ISO 374-1 : 2016

Type : Type B

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
Methanol	67-56-1	А	3	4,5%
Sodium hydroxide 40%	1310-73-2	K	6	-1,9%
Sulphuric acid 96%	7664-93-9	L	6	3,6%

Microorganism EN ISO 374-5 : 2016

This glove protect against microorganism

Uncontrolled against viruses

TEST REPORTS


Laboratory	CTC	Other
EN 420 + innocuousness	S170810210_1 S170810865_1 S180607493_1 S170912576_1 06959-14 S180100135_2 (DMFU)	
EN 388	H161204631_1 S170810861_1 S170810863_1	
EN 374-2	S171216924_1	
EN 16523-1	S180100720_1 S171216924_1	
EN ISO 374-5	S171216924_1	
Other	S171216313_1(EN374-4)	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer : Logo **(**€ Glove's reference : E32.02N, E32.03N, E32.04N Article Code : Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or Serial number :

Marking example :





STRADA DELL ALPO, 26 37136 VERONA VR ITALY

Method of marking on the glove :

SCREEN PRINT AND INNER LABEL

Packaging :

1 PAIR ONE HEAD CARD AND ONE DOZEN ONE BIG POLYBAG, 10 DOZENS ONE CARTON.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : www.cenigomma.com

MEANS OF CONTROL

We make all inspection based on the acceptance sampling. Materials Conduct inspection on all incoming raw materials and accessory materials. Conduct size checking on all component parts. Conduct visual inspection on defective parts. Checking missing parts before sending to sewers. Inspected for defects, gauged for proper thickness. Quality checking on sewing in areas of appearance, sizing(based on the EN420 sizing standard), weight,labelling, stitches, seaming and component positioning. After coating we will make the sizing, weight,smell,PH,chemic test and cutting ,abrasion test (based on EN388 standard). Finished Products perform random checking(acceptance sampling) before shipment. Quality control is performed under ISO 9001.

