

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1491/162/01/19/0362

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: Cenigomma SRL

STRADA DELL' ALPO, 26 27136 VERONA

ITALY

Description

PPE Type: protective glove against mechanical risks, chemical risks,

microorganisms risks

Product reference: E22.06

Glove description: Nitrile Unsupported, Flock, Open Cuff

Available sizes: 6 7 8 9 10 11

Pictures:







Cenigomma SRL

STRADA DELL' ALPO, 26 27136 VERONA ITALY

Lot No.:

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016

3101X

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

EN ISO 374-5:2016

MICRO-ORGANISMS

EN ISO 374-1:2016

Type B

JKL

This product is a category III (letal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (CTC 0075)

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from February 2019

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by Maxence DREVET

Project Certification Manager

Date of first issue: 04 February 2019

End of validity date: 05 July 2023





www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



Original CTC

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/FEC.

Cenigomma SRL

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : E22.06

Article code :

Technical file index : 01

Last update : February 2019

IDENTIFICATION

Reference of the product: : E22.06

Article code: :

Basic Model

Technical file index: : 01

Last update : : February 2019

Manufacturer:

Cenigomma SRL

STRADA DELL' ALPO, 26 27136 VERONA

ITALY

tel: 39 045 8283711 fax: 39 045 8205190

Factory:

NANTONG QIANGSHENG SAFETY PROTECTION TECHNOLOGY

No.118, JIALINGJIANG ROAD, RUDONG ECONOMIC DEVELOPMENT ZONE, JIANGSU PROVINCE, P.R. CHINA

CHINA

tel: 86-513-4108356 fax: 86-513-4108190

NANTONG QIANGSHENG SAFETY PROTECTION TECHNOLOGY CO, LTD. YOUYI ROAD (W), JUEGANG, RUDONG JIANGSU CHINA

tel: 86-513-4108356 fax: 86-513-4108190

NANTONG QIANGSHENG SAFETY PROTECTION TECHNOLOGY CO, LTD. JINSHAJIANG ROAD, NEW INDUSTRIAL ZONE, RUDONG, JIANGSU CHINA

tel: 86-513-84129800 fax: 86-513-84129808

NANTONG QIANGSHENG SAFETY PROTECTION TECHNOLOGY CO, LTD. JINSHAJIANG ROAD, JUEGANG, RUDONG JIANGSU CHINA

tel: 86-513-84129800 fax: 86-513-84129808

GLOVE DESCRIPTION

General glove description:

Nitrile Unsupported, Flock, Open Cuff

type of coating finish: smooth

Visual description (picture back and palm sides):



Field of use

Effective barrier against bacteria and fungi, but "Uncontrolled against viruses" and having a protection against tested chemicals n-heptane, NaOH40%, H2SO4 96% conditions.

	Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by	
			✓ Standard	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	✓	✓ Instruction for use	
			✓ Marking	
		<	Standard	
§1.4	Manufacturer's instructions and information is available		Instruction for use	
			Marking Marking	
	PPE which may be caught up during use		Standard	
§2.5		✓	✓ Instruction for use	
			☐ Marking ✓ Standard	
§2.12	PPE bearing one or more identification markings or indicators directly or	✓	Instruction for use	
32.12	indirectly relating to health and safety		✓ Marking	
	Multi-risk PPE	V	✓ Standard	
§2.14			✓ Instruction for use	
			✓ Marking	
	The PPE is intended to protect against mechanical injuries	\	✓ Standard	
§3.3			✓ Instruction for use	
			✓ Marking	
	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact		✓ Standard	
§3.10.2		\checkmark	✓ Instruction for use	
	3 -0 0		✓ Marking	

Available sizes:

Minimum length of glove (mm)	Sizes
330mm(palm width:90mm)	6
330mm(palm width:101mm)	7
330mm(palm width:113mm)	8
330mm(palm width:125mm)	9
330mm(palm width:130mm)	10
330mm(palm width:135mm)	11

Glove constitution:

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		Green	Nitrile	150g/m2		0.51-0.57mm
Back		Green	Nitrile	150g/m2		0.51-0.57mm
Cuff		Green	Nitrile	150g/m2		0.51-0.57mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for mechanical risks, chemical risks, microorganisms risks.

It is a category III product, module C2

Notified Body Reference: CTC (0075)

4, rue Hermann Frenkel - 69367 Lyon cedex 07 -

France

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity: 5
Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2016

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	0
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

[«] X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Chemical hazard EN 374-2: 2014

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform

Chemical hazard EN ISO 374-1: 2016

Type:	Type B

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
n-Heptane	142-82-5	J	6	14,50%
Sodium hydroxide 40%	1310-73-2	K	6	1,90%
Sulphuric acid 96%	7664-93-9	L	3	69,70%

Microorganism EN ISO 374-5: 2016

This glove protect against microorganism Uncontrolled against viruses

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S180100135_2 (DMFU) H161205025_1(PAHs) S160807620_1(tin, cad) 07582-14 S180506405_2	
EN 388	H161204632_1 07586-14 07585-14	
EN 374-2	S171216312_1	
EN 16523-1	S171216312_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer:

Logo (€ Followed by the number of notified body in charge of control of the production (0075)

Glove's reference: E22.06

Article Code : Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram
Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

Marking example:



Cenigomma SRL

STRADA DELL' ALPO, 26 27136 VERONA ITALY

Lot No .:

Method of marking on the glove :

SCREEN PRINT, sticker on individual polybag.

Packaging:

ONE DOZEN PER BIG POLYBAG, 12 DOZEN PER CARTON

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available on: www.cenigomma.com/

MEANS OF CONTROL

We make all inspection based on the acceptance sampling. Materials Conduct inspection on all incoming raw materials and accessory materials. Conduct size checking on all component parts. Conduct visual inspection on defective parts. Checking missing parts before sending to sewers. Inspected for defects, gauged for proper thickness. Quality checking on sewing in areas of appearance, sizing(based on the EN420 sizing standard), weight,labelling, stitches, seaming and component positioning. After coating we will make the sizing, weight,smell,PH,chemic test and cutting ,abrasion test (based on EN388 standard). Finished Products perform random checking air leak, water leak (acceptance sampling) before shipment. Quality control is performed under ISO 9001.