EU-TYPE EXAMINATION CERTIFICATE




The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1491/162/08/21/1465

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :	CENIGOMMA SRL
	STRADA DELL ALPO 26,37136 VERONA
	ITALY
Description	
PPE Type :	protective glove against mechanical risks, cold risks
Product reference :	E42.05WN
Article code :	/
Glove description :	5 fingers glove - two layer anatomical black nylon + spandex 15
	gauge,acrylic 7 gauge with micro-finish black nitrile coating on palm
	/ nails,hemmed knit-wrist.
Aveilable sizes :	

Available sizes : Pictures : XS/6-3XL/12



Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material. « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020	-
EN 388:2016 + A1:2018	3 2 3 2 X
EN 511:2006	0 2 X

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from AUGUST 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by Nadine PIPAZ CE Expert Team Coordinator



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Date of first issue : 01 September 2021 End of validity date : 01 September 2026



www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com





Accreditation n# 5-0594 Scope available on: www.cofrac.fr

Equipment and repealing the Directive 89/686/EEC.

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

CENIGOMMA SRL

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	E42.05WN
Article code	:	1
Technical file index	:	01
Last update	:	AUGUST 2021

IDENTIFICATION

Reference of the product : Article code :	:	E42.05WN /
Basic Model		
Technical file index :	:	01
Last update :	:	AUGUST 2021

Manufacturer :

CENIGOMMA SRL STRADA DELL ALPO 26,37136 VERONA ITALY tel : 045-8283794 fax : 045-8283794

Factory:

CENIGOMMA SRL STRADA DELL ALPO 26,37136 VERONA ITALY tel: 045-8283794 fax: 045-8283794

GLOVE DESCRIPTION

General glove description and intended use:

5 fingers glove - two layer anatomical black nylon + spandex 15 gauge,acrylic 7 gauge with micro-finish black nitrile coating on palm / nails,hemmed knit-wrist.

This glove is designed against mechanical risks, cold risks.

Type of coating finish : foam

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
		7	✓ Standard
§1	Requirements defined in the Annex II §1 are applicable to all PPE		✓ Instruction for use
			✓ Marking
	Manufacturer's instructions and information is available		Standard
§1.4		\checkmark	✓ Instruction for use
			Marking
	PPE which may be caught up during use	\checkmark	Standard
§2.5			✓ Instruction for use
			Marking
62.42	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	\checkmark	✓ Standard
§2.12			✓ Instruction for use
			 ✓ Marking ✓ Standard
§2.14	Multi-risk PPE	\checkmark	✓ Standard
92.14			Marking
§3.3	The PPE is intended to protect against mechanical injuries	~	✓ Instruction for use
			✓ Marking
	Protection against cold		✓ Standard
§3.7			✓ Instruction for use
			✓ Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m²)	Gauges	Thickness
Palm		black	nitrile			0.2mm
Failli		black	nylon/spandex	105g/m²	15G	
Back		black	nylon/spandex	105g/m²	15G	
Lining	palm + back	black	acrylic	180g/m²	7G	
	cuff	black	acrylic/elastic	210g/m2	7G	
Cuff		black	nylon/spandex/elastic	135g/m2	15G	
Binding		white	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed against mechanical risks, cold risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

5

Dexterity :

Available size XS/6-3XL/12 range:

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	2
Tear strength resistance	3
Puncture resistance	2
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

Cold hazard EN 511 : 2006

	Minimum performance level require	Performance obtained
Abrasion resistance	≥2	3
Tear strength	≥ 2	3
Flexibility behaviour for coated materials	no crack	conform
Extreme cold flexibility for glove resistant to -30°C	no crack	Х
Convective cold	_	0
Contact cold	_	2
Water penetration	0 or 1	Х

TEST REPORTS


Laboratory	CTC	Other
	S201212699_1 S200403710_1 S200605486_1 S210808286_1	
EN 388	S200403710_1 S200403671_1	
EN 511	S200505319_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer : Logo (Glove's reference : E42.05WN Article Code : / Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or serial/batch number : Date of obsolescence (month/year) if applicable:

Marking example :



Marking of packaging example :



Method of marking on the glove :

sewing label on the glove + marked on the headcard

Packaging suitable for transport:

12 PAIRS IN ONE POLYBAG, 10 POLYBAG IN ONE CARTON

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

Factory use Sampling Plan AQL 2.5 to do goods inspection; glove should meet EN ISO 21420 and EN388 test result; Glove should not be broken, thread should not be out. no hole, no mold, no scratch,Nitrile coat should even, no bubble; Goods will follow sampling plan AQL 2.5 to do lab tests, to ensure glove reach EN388 standard; each batch test need attach the testing report marked date; all results need filed in system for easy checking; Inspection staff need do double inspection work to ensure every step's records inlcuding package which meet the insturction required; Glove inspection work on EN ISO 21420 and EN388,EN511 must be tested once every year

INSTRUCTION FOR USE

CENIGOMMA SRL

STRADA DELL ALPO 26,37136 VERONA ITALY Glove reference : E42.05WN Article code: / User notice index : 01 AUGUST 2021 Last update :



3

2

3

2

(on 4 maxi)

(on 5 maxi)

(on 4 maxi)

(on 4 maxi)

Glove description :

5 fingers glove - two layer anatomical black nylon + spandex 15 gauge, acrylic 7 gauge with micro-finish black nitrile coating on palm / nails,hemmed knit-wrist.

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075) 4, rue Hermann Frenkel 69367 LYON Cedex 07 FRANCE

Applicable standards :

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity:

5 Available size range: XS/6-3XL/12

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Moreover, this glove has been designed for the following applications :

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material. « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Abrasion resistance

Blade cut resistance

Tear resistance

Puncture resistance

Application : Mechanical hazard - EN 388:2016 +





3232X Levels of performance





Cut Resistance method (EN ISO 13997) Х (A to F) Impact Protection

Convective cold	0	(on 4 maxi)
Contact cold	2	(on 4 maxi)
Water penetration	Х	

02X Levels of performance

C1465 - CENIGOMMA SRL - N°0075-1491-162-08-21-1465.xlsm - User notice



Read carefully the instructions for use provided with the product

Protection limit :

This glove doesn't give a protection for a temperature under -50°C.

This glove provides a protection for a limited contact time with cold products.

The performance levels can be reduced due to a level X of water penetration.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear, ...).

No flame protection is claimed. This glove shall not be in contact with naked flame.

For multilayer gloves or multilayer hands protective equipment for thermal domestic risks with different layers of material, the performance levels are warranted only for the whole product.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove .

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises. The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available with product.