



EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



Certificate N° 0075/1491/162/02/21/0361

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Cenigomma Srl
Str. dell'Alpo, 26, 37136 Verona
Italy

Description

PPE Type : *protective glove against mechanical risks*

Product reference : ETL42.08

Article code : /

Glove description : Blue Slim Nylon Liner Black Nitrile Foam Palm Coated

Available sizes : 6 7 8 9 10 11 12


Pictures :



EN388



4121X



Size 9

ETL42.08

Lot:xxx



(MM/YYYY)



(MM/YYYY)

Str. dell'Alpo, 26, 37136
Verona, Italy

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 1 2 1 X

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from MARCH, 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification and Quality Manager

Date of first issue : 01 March 2021
End of validity date : 28 December 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Cenigomma Srl

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	ETL42.08
Article code	:	/
Technical file index	:	01
Last update	:	MARCH, 2021

IDENTIFICATION

Reference of the product :	:	ETL42.08
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	MARCH, 2021

Manufacturer :

Cenigomma Srl

Str. dell'Alpo, 26, 37136 Verona

Italy

tel : +39 045 828 3711

fax :

Factory :

SHINSUNG MAJOR GLOVE CORP.

30, SANDAN 4-GIL, SEO-MYEON, SUNCHEON-SI, JEOLLANAM-DO 57927

SOUTH KOREA

tel: +82-61-752-1027

fax:

GLOVE DESCRIPTION

General glove description and intended use:

Blue Slim Nylon Liner Black Nitrile Foam Palm Coated

This glove is designed against mechanical risks.

Type of coating finish : foam

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		Black	Nitrile			0.2mm
		Blue	Nylon	120g/m ²	18	
Back		Blue	Nylon	120g/m ²	18	
Cuff		Blue/White, Blue/Green, Blue/Brown, Blue/Yellow, Blue/Grey, Blue/Blue, Blue/Red, Blue/Black	Nylon/elastic	170g/m ²	18	
Binding		White, Green, Brown, Yellow, Grey, Blue, Black, Red	Polypropylene			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : LEVEL 5

Available size range: 6 - 12

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Hand size	Hand circumference (mm)	Hand length (mm)
6	152	160
7	178	171
8	203	182
9	229	193
10	254	204
11	280	215
12	305	226

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S200706887_1 S200706885_2 S201111714_2 S190201185_1 S190404934_1	
EN 388	S190405954_2 S190302168_2	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : ETL42.08

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels


Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Method of marking on the glove :

Heat Transfer Logo on back

Packaging suitable for transport:

12 Pairs / Polybag, 144 Pairs / Carton

PPE subject to ageing :

Peremption period : 5 Years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

According to ISO 9001

Our products are produced by full automatic lines, so the quality of the products is stably.

We have professional quality inspectors, those inspectors are full of experience about the products, they check the quality every one hour every day, so we can keep the quality always as usual. 100% inspection of entering materials, 100% inspection of sewn gloves during ironing, 100% inspection of finished products during packing, then we send them to test EN388 in CTC each year



CERTIFICATE



This is to certify that

SHIN SUNG MAJOR GLOVE CO., LTD.

30, Sandan 4-gil, Seo-myeon
Suncheon-si, Jeollanam-do, 57927
Republic of Korea

has implemented and maintains a **Quality Management System**.

Scope:

The manufacture of PU Gloves and Variously Coated Gloves.

Through an audit, documented in a report, it was verified that the management system fulfills the requirements of the following standard:

ISO 9001 : 2015

Certificate registration no. 50350313 QM15
Date of certification 2021-01-02
Valid until 2024-01-01



DQS Inc.

Brad McGuire
Managing Director

Accredited Body: DQS Inc., 1500 McConnor Parkway, Suite 400, Schaumburg, IL 60173 USA
Administrative Office: DQS Korea LLC., #302, ACE Techno Tower 10-cha,
196, Gasan digital 1-ro, Geumcheon-gu, Seoul, 08502, Republic of Korea

INSTRUCTION FOR USE

Cenigomma Srl

Str. dell'Alpo, 26, 37136 Verona
Italy

Glove reference : ETL42.08

Article code: /

User notice index : 01

Last update : MARCH, 2021

Glove description :

Blue Slim Nylon Liner Black Nitrile Foam Palm Coated

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE



EN388



4121X



Size 9

Size 9

ETL42.08

Lot:xxx



(MM/YYYY)



(MM/YYYY)

Str. dell'Alpo, 26, 37136
Verona , Italy

Applicable standards :

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: LEVEL 5

Available size range: 6 - 12

A different hand sizing system from the one defined in EN ISO 21420 Annex B is used:

Hand size	Hand circumference (mm)	Hand length (mm)
6	152	160
7	178	171
8	203	182
9	229	193
10	254	204
11	280	215
12	305	226

Moreover, this glove has been designed for the following applications :

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Application :

Mechanical hazard - EN 388:2016 +
A1:2018



4 1 2 1 X

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		



Read carefully the instructions for use provided with the product

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut,

No flame protection is claimed. This glove shall not be in contact with naked flame.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

Peremption period : 5 Years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available with product.